INDEX TO AUTHORS

A

Adams, Elliott T. Theoretical considerations concerning the union of oxygen and carbon monoxide with hemoglobin, iii

Almquist, H. J., and Greenberg, David M. The influence of pH on the optical rotation of proteins, 519

Ambrose, Anthony M., and Sherwin, Carl P. Source of glucuronic acid, iv

Ammerman, Marion. See Waterman and Ammerman, xcviii

Anderson, R. J. See Bengis and Anderson, 139

—. See Newman, Crowder, and Anderson, 279

Andrews, James C., and Andrews, Kathleen Crandall. The preparation and properties of cystine hydantoin, iv

Andrews, Kathleen Crandall. See Andrews and Andrews, iv

Ansbacher, S., and Supplee, G. C. The cholesterol content and the antirachitic activation of milk constituents, 391

Applebaum, E. See Hollander, Bodecker, Saper, and Applebaum, xl

Austin, J. Harold. See Drabkin and Austin, xxiii

Austin, W. C., and Humoller, Fred L. The preparation of crystalline β-*l*-altrose, a new aldohexose, from *l*-ribose by the cyanohydrin reaction, v

B

Babers, Frank H., and Goebel, Walther F. The synthesis of the *p*-aminophenol β-glycosides of maltose, lactose, cellobiose, and gentiobiose, 473

—. See Goebel and Babers, xxx

Baernstein, Harry D. The sulfur distribution in proteins, vi

Barker, Samuel B. See Goldfarb, Barker, and Himwich, 283, 287

Barnett, Harold M. The determination of carotene in butter fat, 259

Barron, E. S. Guzman, and Hastings, A. Baird. The oxidation-reduction potentials of lactoflavine, vii

Baudisch, Oskar. Nitrate and nitrite assimilation. XX. Formation of active hydrogen during autoxidation of ferrous hydroxide, vii

Bauguess, Lyle C., and Berg, Clarence P. The production of kynurenic acid from tryptophane and indole derivatives, viii

XUM

Baumann, C. A., Steenbock, H., Beeson, W. M., and **Rupel, I. W.** Fat-soluble vitamins. XXXIX. The influence of breed and diet of cows on the carotene and vitamin A content of butter, 167

Baumann, Emil J., Metzger, Nannette, and **Sprinson, David B.** The excretion of thiocyanate in man and the rabbit, ix

—, **Sprinson, David B.,** and **Metzger, Nannette.** The estimation of thiocyanate in urine, 269

Baur, Lorenz. See Morell, Baur, and Link, 1, 15

Beeson, W. M. See Baumann, Steenbock, Beeson, and Rupel, 167

Bell, W. P. See Tweedy, Bell, and Vicens-Rios, xcv

Benford, Frank. See Knudson and Benford, xlviii

Bengis, R. O., and **Anderson, R. J.** The chemistry of the coffee-bean. II. The composition of the glycerides of the coffee-bean oil, 139

Bennett, Mary A. See Toennies and Bennett, xcii

Berg, Clarence P. See Bauguess and Berg, viii

Bergman, H. C. See MacKay and Bergman, 59

Bills, Charles E., Imboden, Miriam, and **Wallenmeyer, J. C.** Potency of vitamin A and vitamin D of halibut liver oil, correlated with seasonal variations in the oil content of halibut liver, x

Bing, Franklin C., Saurwein, Esther M., and **Myers, Victor C.** Studies in the nutritional anemia of the rat. X. Hemoglobin production and iron and copper metabolism with milk of low copper content, 343

Blacker, C. See Rose, Exton, and Blacker, lxxiii

Blanchard, Muriel H. See Cohn, Edsall, and Blanchard, 319

Block, Richard J. The basic amino acids of serum proteins (orosins). IV. A chemical relationship between various avian orosins. A note on some proteins of the egg, 455

—. The basic amino acids of three crystalline mammalian hemoglobins. Further evidence for a basic amino acid "anlage" of tissue proteins, 663

—, **Jones, D. Breese,** and **Gersdorff, Charles E. F.** The effect of dry heat and dilute alkali on the lysine content of casein, 667

—. See Stuart, Block, and Cowgill, 463

Bloor, W. R., and **Snider, Ruth H.** Cell lipids and function in muscle, x

Bodansky, Aaron, and **Jaffe, Henry L.** Significance of clinical and experimental serum phosphatase variations; their osseous and non-osseous origins, xi

Bodecker, C. F. See Hollander, Bodecker, Saper, and Applebaum, xl

Bohstedt, G. See PHILLIPS, HART, and BOHSTEDT, 123

Booher, Lela E. Further experiments on the concentration and chemical nature of vitamin G (B_2), xii

Borek, Ernest. See HARROW, MAZUR, BOREK, and SHERWIN, xxxiv

Bradford, H. A. See SCHMIDT and BRADFORD, lxxv

Brand, Erwin, Brand, F. C., and Herrmann, H. The influence of drugs on oxidations of the brain, xiii

Brand, F. C. See BRAND, BRAND, and HERRMANN, xiii

Bruger, Maurice. The relation between the cholesterol partition and the total protein content in pathological body fluids. The state of cholesterol in such fluids, xiii

Buell, Mary V., and Strauss, Margaret B. Liver function in experimental hyperthyroidism, xiv

Burmester, Ben R. An investigation of a method for iron determination in blood, 189

Butts, Joseph S. Quantitative studies on β oxidation, xv

—. Studies on ketosis. IV. The comparative ketolytic effect of galactose, glucose, and lactose in rats, 87

—, **Cutler, Charles H., and Deuel, Harry J., Jr.** The sexual variation in carbohydrate metabolism. VI. The rôle of the anterior pituitary in the metabolism of diacetic acid, 45

C

Calvery, Herbert O., and Titus, Harry W. The composition of the proteins of eggs from hens on different diets, 683

Campbell, Percy A. See HOLMES, PIGOTT, and CAMPBELL, xli

Cary, C. A. See WISEMAN, KANE, and CARY, ci

Cary, M. Katherine. See DARROW and CARY, 327

Cerecedo, Leopold R. See SCHWOB and CERECEDO, lxxvi

—. See STEKOL and CERECEDO, lxxxv

Chaikelis, Alexander Sarant. The effect of insulin on the glucose-chloride relationship and anhydremia in the blood of rabbits, 767

Chang, Chang Y. See PHILLIPS and CHANG, 405

Chen, A. Ling. See CHEN and CHEN, 231

Chen, K. K., and Chen, A. Ling. The constituents of be-still nuts, *Thevetia neriifolia*, 231

Childs, Hazel M. See LOONEY and CHILDS, liii

Clausen, S. W., and McCoord, A. B. The distribution of vitamin A in the tissues of the rat and of the guinea pig, xv

Cockrill, Jessie R., Miller, Edgar G., Jr., and Kurzrok, Raphael. The nature of the uterus-contracting substance in human seminal fluid, xvi

Cohen, Eugene. See ELVEHJEM, COHEN, and STARE, xxv

XUM

Cohn, Edwin J., Edsall, John T., and Blanchard, Muriel H. Studies in the physical chemistry of the proteins. XI. The amphoteric properties of zein, 319

—. See Straup-Cope and Cohn, lxxxvii

Cole, Versa V., and Curtis, George M. Normal iodine balance, xvii

Cool, Raymond D., Gamble, Clarence James, and Starr, Isaac, Jr. The solubility of ethyl iodide in human blood and its correlation with the erythrocyte count, 97

Cori, Carl F. See Cori and Cori, xvii

Cori, Gerty T., and Cori, Carl F. Changes in hexosemonophosphate in frog muscle, xvii

—. See Hegnauer and Cori, 691

Corley, Ralph C. See Martin and Corley, lvii

—. See Tripp and Corley, xciv

Cowgill, George R. See Roe, Gilman, and Cowgill, lxxii

—. See Stuart, Block, and Cowgill, 463

Cox, Warren M., Jr., and Imboden, Miriam. Studies on the requirements of calcium and phosphorus for gestation and lactation, xviii

Craft, Harold A. See du Vigneaud and Craft, xcvi

—. See du Vigneaud, Loring, and Craft, 481

Crowder, J. A. See Newman, Crowder, and Anderson, 279

Csonka, Frank A. Proteins of yeast (*Saccharomyces cerevisiæ*), xix

Curtis, George M. See Cole and Curtis, xvii

Cutler, Charles H. See Butts, Cutler, and Deuel, 45

—. See Grunewald, Cutler, and Deuel, 35

Czarnetzky, E. J., and Schmidt, Carl L. A. Studies on the combinations of certain amino acids and proteins in the solid state with certain gaseous acids and bases, 301

D

Darrow, Daniel C., and Cary, M. Katherine. The effect of nutritional hypoproteinemia on the electrolyte pattern and calcium concentration of serum, 327

Deuel, Harry J., Jr. The relation of the anterior pituitary gland to ketonuria, xix

—. See Butts, Cutler, and Deuel, 45

—. See Grunewald, Cutler, and Deuel, 35

—. See Gulick, Samuels, and Deuel, 29

Dill, D. B., and Edwards, H. T. Effects of adrenalin in exercise, xx

Dillon, Robert T. See Sendroy, Dillon, and Van Slyke, 597

—. See Van Slyke, Dillon, and Margaria, 571

Dodge, Warren M. See Mitchell and Dodge, lxi

Doisy, Edward A. See Katzman and Doisy, xliv

Donal, John S., Jr. A method for the estimation of the oxygen content of one cubic millimeter of blood, xxi

Dotti, Louis B. Insulin hyperglycemia as a measure of the sensitivity of the individual to insulin, xxii

Drabkin, David L., and **Austin, J. Harold.** A spectrophotometric study of methemoglobin, xxiii

Dufrenoy, Jean. See Reed and Dufrenoy, lxx

Dunn, Max S., Smart, B. W., Redemann, C. E., and **Smith, Nathaniel L.** The vapor pressure-temperature reactions of the ethyl esters of the amino acids, xxiii

E

Edsall, John T., and **Wyman, Jeffries, Jr.** The polarity of certain betaines, xxiv

—. See Cohn, Edsall, and Blanchard, 319

Edwards, H. T. See Dill and Edwards, xx

Elliott, Margaret. See Toennies and Elliott, xciii

Elvehjem, C. A., Cohen, Eugene, and **Stare, F. J.** The relation of copper to tissue respiration, xxv

—. See Schultze and Elvehjem, 253

Evans, G. T. The effect of low oxygen pressures upon the liver and muscle glycogen of the white rat, xxvi

Evans, Herbert M., and **Lepkovsky, Samuel.** The sparing action of fat on vitamin B, xxvii

Everett, Mark R. See Sheppard and Everett, lxxx

Eversole, W. G. The nature and amount of non-diffusible calcium in protein sols. A reply, 515

Exton, William G. See Rose, Exton, and Blacker, lxxiii

F

Failey, Crawford F. See Stone and Failey, lxxxvi

Falk, K. George, and **McGuire, Grace.** Studies on enzyme action. XLVIII. Lipase actions of horse serum, 379

—. See McGuire and Falk, 373, 669

Ferry, Ronald M., and **Levy, Albert H.** The antigenic behavior of the carbohydrate present in egg albumin, xxvii

Fouts, Paul J. See Helmer, Fouts, and Zerfas, xxxvii

Franke, Kurt W., and **Moxon, Alvin L.** An apparatus for determining the rate of carbon dioxide production during yeast fermentation, 415

Friedemann, Theodore E. The excretion of ethyl alcohol in saliva and a rapid method for its determination, xxviii

—. The fasting ketosis of monkeys. I, 335

Fruton, J. S. Oxidation-reduction potentials of ascorbic acid, 79

Fry, Edith G. See Long, Lukens, and Fry, lii

Funk, Casimir. The acidosis-producing hormone of normal urine, xxix

XUM

G

Gallagher, T. F., and **Koch, F. C.** Purification of bull testis extracts, xxx

—. See KOCH and GALLAGHER, xlix

Gamble, Clarence James. See COOL, GAMBLE, and STARR, 97

Gersdorff, Charles E. F. See BLOCK, JONES, and GERSDORFF, 667

—. See JONES and GERSDORFF, xlii

Gilman, Alfred. See ROE, GILMAN, and COWGILL, lxxii

Glick, David. See SOBOTKA and GLICK, 199, 221

Goebel, Walther F., and **Babers, Frank H.** The influence of the acetyl group in orienting the immunological specificity of carbohydrates, xxx

—. See BABERS and GOEBEL, 473

Goerner, Alfred. Oxidation of glucose by air in the presence of iron pyrophosphate, 705

Goldfarb, Walter, Barker, Samuel B., and **Himwich, Harold E.** A study of ketosis in fasted and fat-fed rats, 287

—, —, and —. A study of ketosis in the phlorhizinized rat, 283

Grant, R. Lorimer. See LEWIS and GRANT, lii

Greaves, Joseph D., and **Schmidt, Carl L. A.** On the absorption and utilization of β-carotene in jaundiced and in choledochocolostomized vitamin A-deficient rats, xxxi

Green, David F. See GUSTAVSON and GREEN, xxxiv

Greenberg, David M. The nature and amount of non-diffusible calcium in protein sols. Remarks on the paper by Eversole, Ford, and Thomas, 511

— and **Tufts, Elma V.** The formation of a colloidal form of calcium phosphate in the blood stream in experimental hypercalcemia, xxxii

—. See ALMQUIST and GREENBERG, 519

Griffith, Wendell H. The influence of protein metabolism on the synthesis of glycine, xxxiii

Grunewald, Carl F., Cutler, Charles H., and **Deuel, Harry J., Jr.** The sexual variation in carbohydrate metabolism. V. The metabolism of diacetic acid in normal and castrated male and female rats with and without theelin, 35

Gulick, Margaret, Samuels, Leo T., and **Deuel, Harry J., Jr.** The sexual variation in carbohydrate metabolism. IV. The effect of ovariectomy and theelin administration on the glycogen content of rats, 29

Gustavson, Reuben G., and **Green, David F.** The quantitative determination of the amount of estrogenic substances excreted daily in the urine of the normal human female, xxxiv

XUM

H

Hald, Pauline M. A note on the gravimetric determination of total base of serum and blood. A correction, 675

Hall, J. Lowe. See KLEIN, HALL, and KING, 753

—. See SHENK, HALL, and KING, 741

Hamilton, R. H., Jr. See MCCLENDON, HAMILTON, and HOLDRIDGE, lviii

Harris, Stanton A. See LEVENE, HARRIS, and STILLER, 153

Harrow, Benjamin, Mazur, Abraham, Borek, Ernest, and Sherwin, Carl P. Studies in acetylation. II. The effect of various substances upon the formation of *p*-acetylaminobenzoic acid in the rabbit, xxxiv

— and **Naiman, Barnet.** The male hormone. The effect of the male hormone, the anterior pituitary-like hormone, and the fat metabolism hormone upon the genital tracts of immature male and female rats, xxxv

Hart, E. B. See PHILLIPS, HART, and BOHSTEDT, 123

Hartman, Arthur M., Kane, Edward A., and Shinn, Leo A. Does the carotene in alfalfa hay account completely for its vitamin A activity? xxxvi

Hastings, A. Baird. See BARRON and HASTINGS, vii

—. See MCLEAN and HASTINGS, lx

—. See MORSE, SCHLUTZ, and HASTINGS, lxiv

Hegnauer, A. H., and Cori, Gerty T. The influence of epinephrine on chemical changes in isolated frog muscle, 691

Heidelberger, Michael, and Kendall, Forrest E. The rôle of multiple reactive groups in antigen-antibody union as illustrated by an instance of cross precipitation, xxxvii

Heller, V. G., and Paul, Henry. Effect of inorganic salt intake upon the mineral composition of the blood, 655

Helmer, O. M., Fouts, Paul J., and Zerfas, L. G. The relation of the secretion of mucus to the acidity of the gastric juice, xxxvii

Hendrix, Byron M., and Wharton, P. S. The effect of variation of pH upon the process of heat denaturation of egg albumin, 633

Hepburn, Joseph S., and Miraglia, Paul Reveri. A contribution to the chemistry of turkey eggs, xxxviii

Herrmann, H. See BRAND, BRAND, and HERRMANN, xiii

Hess, W. C. The determination of cystine and cysteine in the presence of each other, xxxix

—. See SULLIVAN and HESS, lxxxix

Hilgetag, Guenter. See SCHOENHEIMER and HILGETAG, 73

Himwich, Harold E. See GOLDFARB, BARKER, and HIMWICH, 283, 287

XUM

Hogan, Albert G., and **Ritchie, Walter S.** Nutritional properties of deaminized casein, xxxix

Holdridge, Curtis. See McClendon, Hamilton, and Holdridge, lviii

Hollander, Franklin, Bodecker, C. F., Saper, E., and **Applebaum, E.** Indications for organized variations in calcification in tooth enamel, xl

Holmes, Arthur D., Pigott, Madeleine G., and **Campbell, Percy A.** The hemoglobin content of chicken blood. II. The decrease following hatching, xli

Horwitt, M. K. The titrimetric microestimation of iron in biological materials, xli

Humoller, Fred L. See Austin and Humoller, v

I

Imboden, Miriam. See Bills, Imboden, and Wallenmeyer, x

—. See Cox and Imboden, xviii

J

Jacobs, Walter A., and **Simpson, James C. E.** On sarsasapogenin and gitogenin, 501

Jaffe, Henry L. See Bodansky and Jaffe, xi

Janssen, Pearl. See Parsons, Janssen, and Schoenleber, lxvii

Jones, D. Breese, and **Gersdorff, Charles E. F.** Some partial cleavage products obtained by peptic digestion of casein, xlii

—. See Block, Jones, and Gersdorff, 667

Joseph, Norman R. Activity coefficients in systems containing ions and zwitter ions, xliii

Joslyn, M. A., Marsh, G. L., and **Morgan, Agnes Fay.** The relation of reducing value and extent of browning to the vitamin C content of orange juice exposed to air, 17

Jukes, T. H., and **Schmidt, Carl L. A.** The apparent dissociation constants of certain amino acids and related substances in water-ethanol mixtures, 359

K

Kane, Edward A. See Hartman, Kane, and Shinn, xxxvi

—. See Meigs, Turner, Kane, and Shinn, lx

—. See Wiseman, Kane, and Cary, ci

Katzman, Philip A., and **Doisy, Edward A.** The quantitative determination of small amounts of gonadotropic substance, xliv

Keenan, J. A., and **Kline, O. L.** Studies on the stability of vitamins B_1, B_2, and B_6, xlv

Kendall, Edward C., Mason, Harold L., McKenzie, Bernard F., Myers, C. S., and **Koelsche, G. A.** The chemical nature and physiological action of the hormone of the suprarenal cortex, xlv

Kendall, Forrest E. See Heidelberger and Kendall, xxxvii

Kertesz, Dennis. See Sendroy, Dillon, and Van Slyke, 597

Keys, Ancel. The recovery following brief severe exercise, xlvi

Kilpatrick, Martin. See SHINOHARA and KILPATRICK, 241

King, H. H. See KLEIN, HALL, and KING, 753

—. See SHENK, HALL, and KING, 741

Kirk, Esben. Gasometric microdetermination of phosphoric acid, xlvii

—, **Page, Irvine H.,** and **Van Slyke, Donald D.** Gasometric determination of plasma lipids, xlvii

Klein, Dorothea E., Hall, J. Lowe, and **King, H. H.** Spectrophotometric characteristics of hemoglobins. II. Hemoglobin of fowls, 753

Kleiner, Israel S. See TAUBER and KLEINER, 411, xc, xci, 679

Klenk, E. Cerebronic acid. A reply to the paper of Levene and Yang, 467

Kline, O. L. See KEENAN and KLINE, xlv

Knudson, Arthur, and **Benford, Frank.** Quantitative studies of the effectiveness of ultraviolet radiation of various wave-lengths in rickets, xlviii

Koch, F. C., and **Gallagher, T. F.** The effect of light on the comb response of capons to testicular hormone, xlix

—. See GALLAGHER and KOCH, xxx

Koehler, Alfred E. The destruction of epinephrine by tissues and fluids of the body, p. 1

Koelsche, G. A. See KENDALL, MASON, MCKENZIE, MYERS, and KOELSCHE, xlv

Kramer, Benjamin. See NATELSON, SOBEL, and KRAMER, 761

Krauss, W. E. See SUTTON, SETTERFIELD, and KRAUSS, lxxxix

Kurzrok, Raphael. See COCKRILL, MILLER, and KURZROK, xvi

L

Lavine, Theodore F. See TOENNIES and LAVINE, 107, 115

Lease, Jane G., and **Parsons, Helen T.** The extraction of the factor curative of dermatitis in rats due to egg white, p. 1

Lepkovsky, Samuel. See EVANS and LEPKOVSKY, xxvii

Levene, P. A., Harris, Stanton A., and **Stiller, Eric T.** *d*-Ribitol-5-phosphoric acid, 153

— and **Muskat, Irving E.** The structure and the properties of acetone-methylrhamnopyranoside, 431

— and **Schormüller, A.** Synthesis of the phosphoric esters of hydroxyamino acids. II. The synthesis of *dl*-serine phosphoric acid, 547

— and **Tipson, R. Stuart.** The structure of monotrityl uridine, 419

—. See RAYMOND and LEVENE, lxx

Levin, Louis. See MACCORQUODALE, LEVIN, and THAYER, lv

XUM

Levy, Albert H. See FERRY and LEVY, xxvii

Levy, Milton. The acidity of formaldehyde and the end-point in the formol titration, 157

—. The behavior of histidine in the formol titration, li

Lewis, George T. The cystine and iron content of epidermal tissues in relation to pellagra, lii

Lewis, Helen Geneva. See LUCK and LEWIS, lv

Lewis, Howard B., and **Grant, R. Lorimer.** Some products of the partial hydrolysis of silk, lii

Link, Karl Paul. See MORELL, BAUR, and LINK, 1, 15

Long, C. N. H., Lukens, F. D. W., and **Fry, Edith G.** Glycogen resynthesis in depancreatized animals, lii

Looney, Joseph M., and **Childs, Hazel M.** The lactic acid and glutathione content of the blood of schizophrenic patients, liii

Loring, Hubert S. The solubility of the stereoisomers of cystine, liv

—. See DU VIGNEAUD, LORING, and CRAFT, 481

Luck, James Murray, and **Lewis, Helen Geneva.** The calorigenic action of glutamic acid, lv

Lukens, F. D. W. See LONG, LUKENS, and FRY, lii

M

MacCorquodale, D. W., Levin, Louis, and **Thayer, Sidney A.** The chemistry of theelin and theelol, lv

MacKay, Eaton M., and **Bergman, H. C.** The amount of water stored with glycogen in the liver, 59

Magers, Elizabeth J. A study of certain phases of metabolism in poliomyelitis, lvi

Margaria, Rodolfo. See VAN SLYKE, DILLON, and MARGARIA, 571

Markley, K. S., and **Sando, Charles E.** Petroleum ether- and ether-soluble constituents of cranberry pomace, 643

Marks, Graham W. The inactivation of catalases from certain marine animals by oxygen, 489

Marsh, G. L. See JOSLYN, MARSH, and MORGAN, 17

Martin, Marie F., and **Corley, Ralph C.** The excretion of allantoin and uric acid by the dog maintained on a purine-free diet and on a protein-free diet. The influence of the administration of glycine, lvii

Mason, Harold L. See KENDALL, MASON, MCKENZIE, MYERS, and KOELSCHE, xlv

Mason, Howard H. The metabolism of carbohydrates in a case of galactosuria, lviii

Mattill, H. A. See SEEGERS and MATTILL, lxxvii

Mazur, Abraham. See HARROW, MAZUR, BOREK, and SHERWIN, xxxiv

McClendon, J. F., Hamilton, R. H., Jr., and **Holdridge, Curtis.** The determination of iodine in blood, urine, and cabbage, lviii

McCoord, A. B. See CLAUSEN and MCCOORD, xv

McCullagh, D. Roy, and Picha, V. The application of a new chemical procedure for the study of diffusible blood iodine, lix

McGuire, Grace, and Falk, K. George. Directive influences in biological systems. IV. A further study of lipase actions of Type I pneumococci, 669

— and —. Studies on enzyme action. XLVII. Lipase action of serum, 373

—. See FALK and MCGUIRE, 379

McKenzie, Bernard F. See KENDALL, MASON, MCKENZIE, MYERS, and KOELSCHE, xlv

McLean, Franklin C., and Hastings, A. Baird. The state of calcium in the fluids of the body, lx

Meigs, Edward B., Turner, William A., Kane, Edward A., and Shinn, Leo A. Calcium and phosphorus metabolism in dairy cows. VII. The effects on calcium and phosphorus metabolism of feeding rations low in calcium for long periods, lx

Metzger, Nannette. See BAUMANN, METZGER, and SPRINSON, ix

—. See BAUMANN, SPRINSON, and METZGER, 269

Miller, Edgar G., Jr. See COCKRILL, MILLER, and KURZROK, xvi

Mitchell, H. H. The effect of the proportions of fat and carbohydrate in the diet upon the excretion of metabolic nitrogen in the feces, 537

Mitchell, Helen S., and Dodge, Warren M. Nutritional cataract in rats, lxi

Mitchell, Philip H., and Taylor, Ivon R. The dissociation constant of cresol red in sea water, lxii

Miraglia, Paul Reveri. See HEPBURN and MIRAGLIA, xxxviii

Moore, Elinor, and Wilson, D. Wright. The basic extractives of pecten muscle, lxiii

Morell, Sam, Baur, Lorenz, and Link, Karl Paul. The methylglycosides of the naturally occurring hexuronic acids. III. Polygalacturonic acid-methylglycosides derived from pectin, 1

—, —, and —. Note on the preparation of *d*-galacturonic acid in large quantity, 15

Morgan, Agnes Fay, and Samisch, Zdenka. The sequence and extent of tissue changes produced by viosterol and parathyroid extract, lxiv

—. See JOSLYN, MARSH, and MORGAN, 17

Morse, Minerva, Schlutz, Frederic W., and Hastings, A. Baird. Acidosis as a factor of fatigue in dogs, lxiv

Moxon, Alvin L. See FRANKE and MOXON, 415

Murrell, Florence C. See WESSON and MURRELL, xcix

Muskat, Irving E. See LEVENE and MUSKAT, 431

Myers, C. S. See KENDALL, MASON, MCKENZIE, MYERS, and KOELSCHE, xlv

Myers, Victor C. See BING, SAURWEIN, and MYERS, 343

N

Naiman, Barnet. See HARROW and NAIMAN, xxxv

Natelson, Samuel, Sobel, Albert E., and Kramer, Benjamin. Salts of ergosteryl sulfate: preparation and antirachitic activity on irradiation in aqueous medium, 761

Newman, M. S., Crowder, J. A., and Anderson, R. J. The chemistry of the lipids of tubercle bacilli. XXXVIII. A new synthesis of phthiocol, the pigment of the human tubercle bacillus, 279

O

Olcott, H. S. Some chemical properties of vitamin E, lxv

Orten, James M., and Smith, Arthur H. Changes in cells and pigment in the blood after realimentation of rats on a low salt ration, lxvi

— and —. Inorganic salts in nutrition. VIII. Variations in the proportion of reticulocytes in the blood of rats receiving a diet deficient in inorganic salts, 181

P

Page, Irvine H. See KIRK, PAGE, and VAN SLYKE, xlvii

Parsons, Helen T., Janssen, Pearl, and Schoenleber, Florence. The effect on the toxicity of egg white of digestion with papain, lxvii

—. See LEASE and PARSONS, p. 1

Paul, Henry. See HELLER and PAUL, 655

Peterson, Ruth D. See POWER, WAKEFIELD, and PETERSON, lxvii

Pfiffner, J. J. See WINTERSTEINER, VARS, and PFIFFNER, c

Phillips, Paul H., and Chang, Chang Y. The influence of chronic fluorosis upon vitamin C in certain organs of the rat, 405

—, **Hart, E. B., and Bohstedt, G.** The influence of fluorine ingestion upon the nutritional qualities of milk, 123

Picha, V. See MCCULLAGH and PICHA, lix

Pierose, Perry N. See BUTTS, CUTLER, and DEUEL, 45

Pigott, Madeleine G. See HOLLES, PIGOTT, and CAMPBELL, xli

Power, Marschelle H., Wakefield, E. G., and Peterson, Ruth D. The microdetermination of ethereal sulfate in blood serum, lxvii

Pucher, George W., Vickery, Hubert Bradford, and Wakeman, Alfred J. Determination of the acids of plant tissue. IV. A new method for the determination of malic acid, lxviii

Q

Quick, Armand J. The relationship of uric acid excretion to ketosis, lactic acid metabolism, and aromatic acids, lxix

R

Raymond, Albert L., and Levene, P. A. Thio sugars, lxx

Redemann, C. E. See DUNN, SMART, REDEMANN, and SMITH, xxiii

Reed, Howard S., and Dufrenoy, Jean. Histochemical analysis of plant tissues for iron and zinc by a combination micro-incineration and microanalysis, lxx

Reinhold, John G. The nature of blood sterol. Evidence obtained by a study of the Liebermann-Burchard reaction, lxxi

Ritchie, Walter S. See HOGAN and RITCHIE, xxxix

Roe, Joseph H., Gilman, Alfred, and Cowgill, George R. The effect of the ingestion of galactose upon the respiratory quotient of normal and depancreatized dogs, lxxii

Rohdenburg, E. L. See WADDELL, 711

Rose, Anton R., Exton, William G., and Blacker, C. A method for determining iron in biological materials, lxxiii

Rose, William C. Further experiments upon a new dietary essential present in proteins, lxxiii

Rupel, I. W. See BAUMANN, STEENBOCK, BEESON, and RUPEL, 167

Russell, Walter C., Taylor, M. W., and Wilcox, D. E. The fate of the antirachitic factor in the chicken. III. The distribution of the factor from cod liver oil and from irradiated ergosterol in certain tissues of the chicken, lxxiv

S

Samisch, Zdenka. See MORGAN and SAMISCH, lxiv

Samuels, Leo T. See GULICK, SAMUELS, and DEUEL, 29

Sando, Charles E. See MARKLEY and SANDO, 643

Saper, E. See HOLLANDER, BODECKER, SAPER, and APPLEBAUM, xl

Saunders, Donald H. See WILLIAMS and SAUNDERS, xcix

Saurwein, Esther M. See BING, SAURWEIN, and MYERS, 343

Schlutz, Frederic W. See MORSE, SCHLUTZ, and HASTINGS, lxiv

Schmidt, Carl L. A. See CZARNETZKY and SCHMIDT, 301

—. See GREAVES and SCHMIDT, xxxi

—. See JUKES and SCHMIDT, 359

Schmidt, L. H., and Bradford, H. A. Preliminary report on the influence of thyroxine injections on the lipid content of blood and tissues, lxxv

Schoenheimer, Rudolf. The presence of cholesterol in the feces, 355

—. The significance of cetyl alcohol in the organism, lxxvi

— and **Hilgetag, Guenter.** The occurrence and secretion mechanism of cetyl alcohol in the animal organism, 73

Schoenleber, Florence. See PARSONS, JANSSEN, and SCHOENLEBER, lxvii

Schormüller, A. See LEVENE and SCHORMÜLLER, 547

Schultze, M. O., and **Elvehjem, C. A.** An improved method for the determination of hemoglobin in chicken blood, 253

Schwob, Claude R., and **Cerecedo, Leopold R.** Studies on the oxidation of uracil *in vitro*, lxxvi

Seegers, Walter H., and **Mattill, H. A.** Further studies on the nutritive value of alcohol-extracted animal tissues and the supplements required for growth and lactation, lxxvii

Seibert, Florence B. See Spiegel-Adolf and Seibert, lxxxiii

Sendroy, Julius, Jr. The oxygen tension and oxygen consumption of urine, lxxviii

—, **Dillon, Robert T.,** and **Van Slyke, Donald D.** Studies of gas and electrolyte equilibria in blood. XIX. The solubility and physical state of uncombined oxygen in blood, 597

Setterfield, H. E. See Sutton, Setterfield, and Krauss, lxxxix

Shaffer, Philip A. The influence of equivalent-valence change on the velocity of aqueous oxidation-reduction reactions, lxxviii

Shear, M. J. The effect of protein on the swelling of normal and tumor cells *in vitro*, lxxix

Shenk, John H., Hall, J. Lowe, and **King, H. H.** Spectrophotometric characteristics of hemoglobins. I. Beef blood and muscle hemoglobins, 741

Sheppard, Fay, and **Everett, Mark R.** The second stage of bromine oxidation of carbohydrates, lxxx

Sherwin, Carl P. See Ambrose and Sherwin, iv

—. See Harrow, Mazur, Borek, and Sherwin, xxxiv

Shinn, Leo A. See Hartman, Kane, and Shinn, xxxvi

—. See Meigs, Turner, Kane, and Shinn, lx

Shinohara, Kamenosuke, and **Kilpatrick, Martin.** The stability of cystine in acid solution, 241

Simpson, James C. E. See Jacobs and Simpson, 501

Smart, B. W. See Dunn, Smart, Redemann, and Smith, xxiii

Smith, Arthur H. See Orten and Smith, 181, lxvi

—. See Smith and Smith, lxxxi

Smith, Nathaniel L. See Dunn, Smart, Redemann, and Smith, xxiii

Smith, Paul K., and **Smith, Arthur H.** The acid-base balance in the serum of rats, with particular reference to the effects produced by a diet low in inorganic constituents, lxxxi

Snider, Ruth H. See Bloor and Snider, x

Sobel, Albert E. See Natelson, Sobel, and Kramer, 761

Sobotka, Harry, and **Glick, David.** Lipolytic enzymes. I. Studies on the mechanism of lipolytic enzyme actions, 199

XUM

Sobotka, Harry, and **Glick, David.** Lipolytic enzymes. II. The influence of hydrogen ion concentration on activity of liver esterase, 221

Somogyi, Michael. The conversion products of starch and of glycogen in enzymic and acid hydrolysis, lxxxi

Sperry, Warren M., and **Stoyanoff, V. A.** The effect of paratyphoid infection and high and low cholesterol diets on tissue cholesterol in rats, lxxxii

Spiegel-Adolf, Mona, and **Seibert, Florence B.** Spectral absorption of purified tuberculin, lxxxiii

Sprinson, David B. See BAUMANN, METZGER, and SPRINSON, ix

—. See BAUMANN, SPRINSON, and METZGER, 269

Sreenivasaya, Motnahalli. See SRINIVASAN and SREENIVASAYA, 563

Srinivasan, Mudambi, and **Sreenivasaya, Motnahalli.** Dilatometric studies in the hydrolysis of the 2,5-diketopiperazines and polypeptides. I. Alkali hydrolysis of glycine and alanine anhydrides, 563

Stare, F. J. See ELVEHJEM, COHEN, and STARE, xxv

Starr, Isaac, Jr. See COOL, GAMBLE, and STARR, 97

Stearns, Genevieve. The retention of calcium from early infancy to adolescence, lxxxiv

Steenbock, H. See BAUMANN, STEENBOCK, BEESON, and RUPEL, 167

Stekol, Jakob A. Studies on cystinuric urine, lxxxv

— and **Cerecedo, Leopold R.** Comparative studies on the metabolism of adult and growing dogs. Detoxication processes, lxxxv

Stiller, Eric T. See LEVENE, HARRIS, and STILLER, 153

Stone, Gilbert C. H., and **Failey, Crawford F.** The activity coefficient of thallous chloride in protein systems, lxxxvi

Stoyanoff, V. A. See SPERRY and STOYANOFF, lxxxii

Strain, Harold H. Carotene. VIII. Separation of carotenes by adsorption, 523

Straup-Cope, Danella, and **Cohn, Edwin J.** Activity coefficients and rates of reaction in systems containing ions, zwitter ions, and uncharged molecules, lxxxvii

Strauss, Margaret B. See BUELL and STRAUSS, xiv

Stuart, Elmer H., Block, Richard J., and **Cowgill, George R.** The antineuritic vitamin. V. The preparation of a vitamin concentrate suitable for parenteral use, 463

Sulkowitch, Hirsh W. A rapid microchemical method for the detection of lead in biological and other organic material with N, N′-diphenylformazyl mercaptan and N, N′-diphenyldihydroformazyl mercaptan, lxxxviii

XUM

Sullivan, M. X., and **Hess, W. C.** Urinary studies in a case of progressive muscular dystrophy, lxxxix

Supplee, G. C. See ANSBACHER and SUPPLEE, 391

Sutton, T. S., Setterfield, H. E., and **Krauss, W. E.** Nerve degeneration in the albino rat (*Mus norvegicus albinus*) associated with vitamin A avitaminosis. The use of the polarizing microscope in diagnosing degenerative changes in the myelin sheath, lxxxix

T

Tauber, Henry, and **Kleiner, Israel S.** The inactivation of pepsin, trypsin, and salivary amylase by proteases, 411

— and —. The reciprocal digestion of pepsin and trypsin, xc

— and —. Some enzymes of *Solanum indicum*, 679

— and —. The specificity of α-glucosidases, xci

Taylor, Ivon R. See MITCHELL and TAYLOR, lxii

Taylor, M. W. See RUSSELL, TAYLOR, and WILCOX, lxxiv

Thayer, Sidney A. See MACCORQUODALE, LEVIN, and THAYER, lv

Tipson, R. Stuart. See LEVENE and TIPSON, 419

Titus, Harry W. See CALVERY and TITUS, 683

Toennies, Gerrit, and **Bennett, Mary A.** Studies on the hydrolysis of wool and the isolation of cystine from hydrolysates, xcii

Toennies, Gerrit, and **Elliott, Margaret.** The precipitation of *l*-, *dl*-, and *m*-cystine by phospho-12-tungstic acid, xciii

— and **Lavine, Theodore F.** The oxidation of cystine in non-aqueous media. III. Products of exhaustive oxygenation of cystine perchlorate in acetonitrile, 107

— and —. IV. The course of non-hydrolytic oxygenation, 115

Tripp, John T., and **Corley, Ralph C.** The disposal of brominated and phenylated fatty acids in the animal body, xciv

Tufts, Elma V. See GREENBERG and TUFTS, xxxii

Turner, Mary E. The precipitation of phosphatides and cholesterol from human sera, xciv

Turner, R. G. The stability of carotene in olive oil, 443

Turner, William A. See MEIGS, TURNER, KANE, and SHINN, lx

Tweedy, Wilbur R., Bell, W. P., and **Vicens-Rios, C.** Parathyroid hormone potency as affected by oxidizing and reducing agents, xcv

V

Van Slyke, Donald D., Dillon, Robert T., and **Margaria, Rodolfo.** Studies of gas and electrolyte equilibria in blood. XVIII. Solubility and physical state of atmospheric nitrogen in blood cells and plasma, 571

XUM

Van Slyke, Donald D. See KIRK, PAGE, and VAN SLYKE, xlvii
—. See SENDROY, DILLON, and VAN SLYKE, 597
Vars, Harry M. Blood studies on fish and turtles, 135
—. See WINTERSTEINER, VARS, and PFIFFNER, c
Vicens-Rios, C. See TWEEDY, BELL, and VICENS-RIOS, xcv
Vickery, Hubert Bradford. See PUCHER, VICKERY, and WAKEMAN, lxviii
du Vigneaud, Vincent, and **Craft, Harold A.** The oxidation of the sulfur of homocystine in the animal body, xcvi
—, **Loring, Hubert S.,** and **Craft, Harold A.** The oxidation of the sulfur of homocystine, methionine, and S-methylcysteine in the animal body, 481

W

Waddell, J. The provitamin D of cholesterol. I. The antirachitic efficacy of irradiated cholesterol, 711
Wade, Nelson J. Prolonged administration of theelin and theelol to male and female rats and the bearing on reproduction, xcvi
Wakefield, E. G. See POWER, WAKEFIELD, and PETERSON, lxvii
Wakeman, Alfred J. See PUCHER, VICKERY, and WAKEMAN, lxviii
Wallen-Lawrence, Zonja. Proof of the existence of a follicle-stimulating and a luteinizing hormone in the anterior lobe of the pituitary body, xcvii
Wallenmeyer, J. C. See BILLS, IMBODEN, and WALLENMEYER, x
Waterman, Robert E., and **Ammerman, Marion.** Animal response to crystalline vitamin B_1, xcviii
Watson, C. J. An improved method for the isolation of crystalline stercobilin, 469
Weil, Leopold. The preparation of enzymatically pure proteinase and the quantitative determination of the influence of protaminase, 291
Werkman, C. H. See WOOD and WERKMAN, 63
Wesson, Laurence G., and **Murrell, Florence C.** Metabolism of various carbohydrates by rats maintained on a fat-deficient diet, xcix
Wharton, P. S. See HENDRIX and WHARTON, 633
Wilcox, D. E. See RUSSELL, TAYLOR, and WILCOX, lxxiv
Wilkins, Walter E. A method for quick dry ashing of blood serum for the determination of sodium by the uranyl zinc acetate method, 177
Williams, Roger J., and **Saunders, Donald H.** The effect of inositol, crystalline vitamin B, and pantothenic acid on the growth of different strains of yeast, xcix
Wilson, D. Wright. See MOORE and WILSON, lxiii

XUM

Wintersteiner, Oskar, Vars, Harry M., and **Pfiffner, J. J.** Chemical investigations on the cortical hormone of the adrenal gland, c

Wiseman, H. G., Kane, Edward A., and **Cary, C. A.** The losses involved in determining carotene in hays and in fresh green plants, ci

Wood, H. G., and **Werkman, C. H.** The propionic acid bacteria. On the mechanism of glucose dissimilation, 63

Wood, W. B. Physicochemical studies of the reducing action of glucose, cii

Wyman, Jeffries, Jr. See Edsall and Wyman, xxiv

Z

Zerfas, L. G. See Helmer, Fouts, and Zerfas, xxxvii

INDEX TO SUBJECTS

A

Acetone-methylrhamnopyranoside: Chemical constitution and properties (LEVENE and MUSKAT) 431

Acetonitrile: Cystine perchlorate oxidation products in (TOENNIES and LAVINE) 107

Acetylaminobenzoic acid: *p*-, acetylation (HARROW, MAZUR, BOREK, and SHERWIN) xxxiv

—, formation, rabbit (HARROW, MAZUR, BOREK, and SHERWIN) xxxiv

Acid-base equilibrium: Blood serum, diet low in inorganic constituents, effect (SMITH and SMITH) lxxxi

Acidity: Gastric juice, mucus secretion, relation (HELMER, FOUTS, and ZERFAS) xxxvii

Acidosis: Fatigue, relation (MORSE, SCHLUTZ, and HASTINGS) lxiv

-Producing hormone, urine, normal (FUNK) xxix

Acids: Gaseous, amino acids and proteins, combinations (CZARNETZKY and SCHMIDT) 301

Plant tissue, determination (PUCHER, VICKERY, and WAKEMAN) lxviii

Adolescence: Calcium retention (STEARNS) lxxxiv

Adrenal: Cortex hormone, chemistry (WINTERSTEINER, VARS, and PFIFFNER) c

Adrenalin: Exercise, effect (DILL and EDWARDS) xx

Alanine: Anhydride, alkali hydrolysis (SRINIVASAN and SREENIVASAYA) 563

Albumin: Egg, carbohydrate, antigenic behavior (FERRY and LEVY) xxvii

—, heat denaturation, hydrogen ion concentration effect (HENDRIX and WHARTON) 633

Alcohol: -Extracted animal tissues, growth and lactation, effect (SEEGERS and MATTILL) lxxvii

See Ethyl alcohol.

Aldohexose: *l*-Ribose, preparation from, cyanohydrin reaction (AUSTIN and HUMOLLER) v

Alfalfa: Hay carotene, vitamin A activity, relation (HARTMAN, KANE, and SHINN) xxxvi

Allantoin: Excretion, glycine administration effect (MARTIN and CORLEY) lvii

—, purine-free and protein-free diets (MARTIN and CORLEY) lvii

XUM

β-*l*-Altrose: *l*-Ribose, preparation from, cyanohydrin reaction (Austin and Humoller) v
Amino acid(s): Basic, anlage, tissue proteins (Block) 663
—, blood serum proteins (Block) 455
—, hemoglobin, crystalline, mammalian (Block) 663
Dissociation constants, apparent, water-ethanol mixtures (Jukes and Schmidt) 359
Ethyl esters, vapor pressure-temperature reactions (Dunn, Smart, Redemann, and Smith) xxiii
Gaseous acids and bases, combination (Czarnetzky and Schmidt) 301
Hydroxy-, phosphoric esters, synthesis (Levene and Schormüller) 547
-Related substances, dissociation constants, apparent, water-ethanol mixtures (Jukes and Schmidt) 359
Amylase: Saliva, inactivation, protease (Tauber and Kleiner) 411
Anemia: Nutritional (Bing, Saurwein, and Myers) 343
Anhydremia: Insulin effect (Chaikelis) 767
Antigen: Antibody union, multiple reactive groups, cross precipitation, relation (Heidelberger and Kendall) xxxvii
Apparatus: Carbon dioxide determination, yeast fermentation (Franke and Moxon) 415
Aromatic acids: Uric acid excretion, relation (Quick) lxix
Ascorbic acid: Oxidation-reduction potentials (Fruton) 79
Avitaminosis: Vitamin A, nerve degeneration, relation (Sutton, Setterfield, and Krauss) lxxxix

B

Bacteria: Propionic acid, glucose dissimilation, mechanism (Wood and Werkman) 63
Base(s): Gaseous, amino acids and proteins, combination (Czarnetzky and Schmidt) 301
Total, blood and serum, determination (Hald) 675
Benzoic acid: *p*-Acetylamino-, acetylation (Harrow, Mazur, Borek, and Sherwin) xxxiv
—, formation, rabbit (Harrow, Mazur, Borek, and Sherwin) xxxiv
Be-still nut: Constituents (Chen and Chen) 231
Betaines: Polarity (Edsall and Wyman) xxiv
Biological systems: Directive influences (McGuire and Falk) 669
Blood: Base, total, determination (Hald) 675
Ethyl iodide solubility, erythrocyte count, correlation (Cool, Gamble, and Starr) 97
Fish (Vars) 135

Blood—*continued:*
Gas and electrolyte equilibrium (Van Slyke, Dillon, and Margaria) 571
(Sendroy, Dillon, and Van Slyke) 597
Lipids, thyroxine injection effect (Schmidt and Bradford) lxxv
Mineral constituents, inorganic salt intake, effect (Heller and Paul) 655
Oxygen, uncombined, solubility and physical state (Sendroy, Dillon, and Van Slyke) 597
Pigment, salt-low ration, realimentation effect (Orten and Smith) lxvi
Sterol, nature, Liebermann-Burchard reaction (Reinhold) lxxi
Turtle (Vars) 135
Blood cell(s): Nitrogen, atmospheric, solubility and physical state (Van Slyke, Dillon, and Margaria) 571
Red, count, ethyl iodide solubility, blood, correlation (Cool, Gamble, and Starr) 97
Salt-low ration, realimentation effect (Orten and Smith) lxvi
See also Reticulocytes.
Blood plasma: Lipids, determination, gasometric (Kirk, Page, and Van Slyke) xlvii
Nitrogen, atmospheric, solubility and physical state (Van Slyke, Dillon, and Margaria) 571
Blood serum: Acid-base equilibrium, diet low in inorganic constituents, effect (Smith and Smith) lxxxi
Ashing, dry (Wilkins) 177
Base, total, determination (Hald) 675
Electrolytes, nutritional hypoproteinemia, effect (Darrow and Cary) 327
Horse, lipase action (Falk and McGuire) 379
Lipase action (McGuire and Falk) 373
Phosphatides, precipitation (Turner) xciv
Body fluids: Epinephrine destruction (Koehler) p. l
Brain: Oxidations, drugs influence (Brand, Brand, and Herrmann) xiii
Bromine: Carbohydrate oxidation by, second stage (Sheppard and Everett) lxxx
Butter: Carotene, breed and diet, cows, influence (Baumann, Steenbock, Beeson, and Rupel) 167
Vitamin A, breed and diet, cows, influence (Baumann, Steenbock, Beeson, and Rupel) 167
Butter fat: Carotene determination (Barnett) 259

C

Cabbage: Iodine determination (McClendon, Hamilton, and Holdridge) lviii
Calcification: Tooth enamel, variations (Hollander, Bodecker, Saper, and Applebaum) xl

XUM

Calcium: Blood serum, nutritional hypoproteinemia, effect (DARROW and CARY) 327
Body fluids, state (McLEAN and HASTINGS) lx
Gestation requirement (COX and IMBODEN) xviii
Lactation requirement (COX and IMBODEN) xviii
-Low ration, calcium and phosphorus metabolism, dairy cows, effect (MEIGS, TURNER, KANE, and SHINN) lx
Metabolism, calcium-low ration, dairy cows, effect (MEIGS, TURNER, KANE, and SHINN) lx
Non-diffusible, protein sols (GREENBERG) 511
(EVERSOLE) 515
Retention, infancy to adolescence (STEARNS) lxxxiv
Calcium phosphate: Colloidal, blood, hypercalcemia, formation (GREENBERG and TUFTS) xxxii
Carbohydrate(s): Bromine, oxidation, second stage (SHEPPARD and EVERETT) lxxx
Dietary, feces nitrogen, effect (MITCHELL) 537
Egg albumin, antigenic behavior (FERRY and LEVY) xxvii
Immunological specificity, acetyl group, influence (GOEBEL and BABERS) xxx
Metabolism, fat-deficient diet (WESSON and MURRELL) xcix
—, galactosuria (MASON) lviii
Carbohydrate(s)—*continued:*
Metabolism, sexual variation (GULICK, SAMUELS, and DEUEL) 29
(GRUNEWALD, CUTLER, and DEUEL) 35
(BUTTS, CUTLER, and DEUEL) 45
Carbon dioxide: Yeast fermentation, determination, apparatus (FRANKE and MOXON) 415
Carbon monoxide: Hemoglobin, union (ADAMS) iii
Carotene(s): Alfalfa hay, vitamin A activity, relation (HARTMAN, KANE, and SHINN) xxxvi
β-, jaundice and choledochocolostomy, absorption and utilization, vitamin A deficiency (GREAVES and SCHMIDT) xxxi
Butter, breed and diet, cows, influence (BAUMANN, STEENBOCK, BEESON, and RUPEL) 167
— fat, determination (BARNETT) 259
Hay and fresh green plants, determination (WISEMAN, KANE, and CARY) ci
Separation, adsorption (STRAIN) 523
Stability, olive oil (TURNER) 443
Casein: Deaminized, nutrition (HOGAN and RITCHIE) xxxix
Lysine, dry heat and alkali effect (BLOCK, JONES, and GERSDORFF) 667
Peptic digestion (JONES and GERSDORFF) xlii

Castration: Diacetic acid metabolism, rats, with and without theelin, effect (GRUNEWALD, CUTLER, and DEUEL) 35
Catalase: Marine animals, inactivation by oxygen (MARKS) 489
Cataract: Nutritional (MITCHELL and DODGE) lxi
Cell: Swelling, normal and tumor, *in vitro*, protein effect (SHEAR) lxxix
Cellobiose: *p*-Aminophenol *β*-glycosides, synthesis (BABERS and GOEBEL) 473
Cerebronic acid: (KLENK) 467
Cetyl alcohol: Animal organism, significance (SCHOENHEIMER) lxxvi
Occurrence and secretion mechanism, animal organism (SCHOENHEIMER and HILGETAG) 73
Chlorides: Glucose-, relationship, blood, insulin effect (CHAIKELIS) 767
Choledochocolostomy: *β*-Carotene absorption and utilization, vitamin A deficiency (GREAVES and SCHMIDT) xxxi
Cholesterol: Blood serum, precipitation (TURNER) xciv
Body fluids, pathological, state (BRUGER) xiii
— —, —, total protein, relation (BRUGER) xiii
Diets, high and low, tissue cholesterol, effect (SPERRY and STOYANOFF) lxxxii
Feces (SCHOENHEIMER) 355
Irradiated, antirachitic efficacy (WADDELL) 711
Cholesterol—*continued:*
Milk (ANSBACHER and SUPPLEE) 391
Provitamin D (WADDELL) 711
Tissue, high and low cholesterol diets, effect (SPERRY and STOYANOFF) lxxxii
Cod liver oil: Antirachitic factor, distribution, chicken (RUSSELL, TAYLOR, and WILCOX) lxxiv
Coffee-bean: Chemistry (BENGIS and ANDERSON) 139
Coffee-bean oil: Glycerides (BENGIS and ANDERSON) 139
Comb: Response, testicle hormone, light, relation (KOCH and GALLAGHER) xlix
Copper: -Low milk, anemia, hemoglobin production, iron and copper metabolism (BING, SAURWEIN, and MYERS) 343
Metabolism and hemoglobin production, nutritional anemia (BING, SAURWEIN, and MYERS) 343
Tissue respiration, relation (ELVEHJEM, COHEN, and STARE) xxv
Cranberry: Pomace, petroleum ether- and ether-soluble constituents (MARKLEY and SANDO) 643
Cresol red: Dissociation constant, sea water (MITCHELL and TAYLOR) lxii
Cysteine: Determination, cystine presence (HESS) xxxix
Cystine: Determination, cysteine presence (HESS) xxxix

XUM

Cystine—*continued:*
dl-, precipitation by phospho-12-tungstic acid (TOENNIES and ELLIOTT) xciii
Epidermis, pellagra, relation (LEWIS) lii
Homo-, sulfur, oxidation, body (DU VIGNEAUD and CRAFT) xcvi
(DU VIGNEAUD, LORING, and CRAFT) 481
Hydantoin, preparation and properties (ANDREWS and ANDREWS) iv
l-, precipitation by phospho-12-tungstic acid (TOENNIES and ELLIOTT) xciii
m-, precipitation by phospho-12-tungstic acid (TOENNIES and ELLIOTT) xciii
Oxidation (TOENNIES and LAVINE) 107, 115
Oxygenation, non-hydrolytic, course (TOENNIES and LAVINE) 115
Stability, acid solution (SHINOHARA and KILPATRICK) 241
Stereoisomers, solubility (LORING) liv
Wool hydrolysates, isolation (TOENNIES and BENNETT) xcii

Cystine perchlorate: Oxygenation products, acetonitrile (TOENNIES and LAVINE) 107

Cystinuria: Urine (STEKOL) lxxxv

D

Dermatitis: Egg white, curative factor, extraction (LEASE and PARSONS) p. 1

Detoxication: Processes, dog (STEKOL and CERECEDO) lxxxv

Diacetic acid: Metabolism, normal and castrated rats, with and without theelin (GRUNEWALD, CUTLER, and DEUEL) 35
—, pituitary extract, anterior, rôle (BUTTS, CUTLER, and DEUEL) 45

Diet: Egg protein composition, effect (CALVERY and TITUS) 683
Essential element, proteins (ROSE) lxxiii

Diketopiperazines: 2,5-, hydrolysis (SRINIVASAN and SREENIVASAYA) 563

Drugs: Brain oxidations, influence (BRAND, BRAND, and HERRMANN) xiii

E

Egg: Albumin carbohydrate, antigenic behavior (FERRY and LEVY) xxvii
—, heat denaturation, hydrogen ion concentration effect (HENDRIX and WHARTON) 633
Proteins (BLOCK) 455
—, diet of hen, effect (CALVERY and TITUS) 683
Turkey, chemistry (HEPBURN and MIRAGLIA) xxxviii
White, dermatitis, curative factor, extraction (LEASE and PARSONS) p. 1
—, toxicity, papain digestion, effect (PARSONS, JANSSEN, and SCHOENLEBER) lxvii

XUM

Electrolyte(s): Blood, gas and, equilibrium (VAN SLYKE, DILLON, and MARGARIA) 571
(SENDROY, DILLON, and VAN SLYKE) 597
— serum, nutritional hypoproteinemia, effect (DARROW and CARY) 327
Enzyme(s): Action (MCGUIRE and FALK) 373
(FALK and MCGUIRE) 379
Lipolysis (SOBOTKA and GLICK) 221
Lipolytic, action (SOBOTKA and GLICK) 199
Solanum indicum (TAUBER and KLEINER) 679
Starch and glycogen hydrolysis, conversion products (SOMOGYI) lxxxi
See also Amylase, Catalase, Esterase, Glucosidase, Lipase, Pepsin, Protaminase, Proteinase, Trypsin.
Epidermis: Cystine and iron, pellagra relation (LEWIS) lii
Epinephrine: Destruction, body tissues and body fluids (KOEHLER) p. l
Muscle, frog, influence (HEGNAUER and CORI) 691
Ergosterol: Irradiated, antirachitic factor, distribution, chicken (RUSSELL, TAYLOR, and WILCOX) lxxiv
Ergosteryl sulfate salts: Antirachitic activity, irradiated aqueous solutions (NATELSON, SOBEL, and KRAMER) 761
Preparation (NATELSON, SOBEL, and KRAMER) 761
Esterase: Liver, activity, hydrogen ion concentration influence (SOBOTKA and GLICK) 221
Estrogenic substances: Urine, normal female, determination (GUSTAVSON and GREEN) xxxiv
Ethereal sulfate: Blood serum, microdetermination (POWER, WAKEFIELD, and PETERSON) lxvii
Ethyl alcohol: Saliva, determination (FRIEDEMANN) xxviii
Ethyl iodide: Blood, solubility, erythrocyte count, correlation (COOL, GAMBLE, and STARR) 97
Exercise: Adrenalin effect (DILL and EDWARDS) xx
Severe, recovery (KEYS) xlvi

F

Fasting: Ketosis (GOLDFARB, BARKER, and HIMWICH) 287
—, monkey (FRIEDEMANN) 335
Fat: -Deficient diet, carbohydrate metabolism (WESSON and MURRELL) xcix
Dietary, feces nitrogen, effect (MITCHELL) 537
Ketosis relation (GOLDFARB, BARKER, and HIMWICH) 287
Metabolism hormone, genital tract, effect (HARROW and NAIMAN) xxxv
Vitamin B-sparing action (EVANS and LEPKOVSKY) xxvii

XUM

Fatigue: Acidosis, relation (Morse, Schlutz, and Hastings) lxiv
Fatty acids: Brominated, fate (Tripp and Corley) xciv
Phenylated, fate (Tripp and Corley) xciv
Feces: Cholesterol (Schoenheimer) 355
Nitrogen, dietary fat and carbohydrates, effect (Mitchell) 537
Ferrous hydroxide: Autoxidation, active hydrogen formation (Baudisch) vii
Fish: Blood (Vars) 135
Fluorine: Ingestion, milk effect (Phillips, Hart, and Bohstedt) 123
Fluorosis: Chronic, body vitamin C, influence (Phillips and Chang) 405
Follicle: -Stimulating hormone, anterior pituitary (Wallen-Lawrence) xcvii
Formaldehyde: Acidity, formol titration end-point and (Levy) 157
Formol: Titration end-point, formaldehyde acidity and (Levy) 157
—, histidine behavior (Levy) li

G

Galactose: Ketolytic action, other sugars, comparison (Butts) 87
Respiratory quotient, normal and depancreatized dogs, ingestion effect (Roe, Gilman, and Cowgill) lxxii
Galactosuria: Carbohydrate metabolism (Mason) lviii
Galacturonic acid: *d*-, preparation (Morell, Baur, and Link) 15
Poly-, -methylglycosides from pectin (Morell, Baur, and Link) 1
Gas: Blood, electrolyte and, equilibrium (Van Slyke, Dillon, and Margaria) 571
(Sendroy, Dillon, and Van Slyke) 597
Genital tract: Male hormone, anterior pituitary-like hormone, and fat metabolism hormone, effect (Harrow and Naiman) xxxv
Gentiobiose: *p*-Aminophenol β-glycosides, synthesis (Babers and Goebel) 473
Gestation: Calcium requirement (Cox and Imboden) xviii
Phosphorus requirement (Cox and Imboden) xviii
Gitogenin: (Jacobs and Simpson) 501
Glucose: -Chloride relationship, blood, insulin effect (Chaikelis) 767
Dissimilation, mechanism, propionic acid bacteria (Wood and Werkman) 63
Ketolytic action, other sugars, comparison (Butts) 87
Oxidation, air, iron pyrophosphate (Goerner) 705
Reducing action, physicochemical study (Wood) cii
Glucosidase: α-, specificity (Tauber and Kleiner) xci

Glucuronic acid: Source (AMBROSE and SHERWIN) iv
Glutamic acid: Calorigenic action (LUCK and LEWIS) lv
Glutathione: Blood, schizophrenia (LOONEY and CHILDS) liii
Glycine: Allantoin excretion, administration effect (MARTIN and CORLEY) lvii
Anhydride, alkali hydrolysis (SRINIVASAN and SREENIVASAYA) 563
Synthesis, protein metabolism influence (GRIFFITH) xxxiii
Uric acid excretion, administration effect (MARTIN and CORLEY) lvii
Glycogen: Body, ovariectomy and theelin administration, effect (GULICK, SAMUELS, and DEUEL) 29
Hydrolysis, enzymic and acid, conversion products (SOMOGYI) lxxxi
Liver, low oxygen pressure, effect (EVANS) xxvi
—, water storage, relation (MACKAY and BERGMAN) 59
Muscle, low oxygen pressure, effect (EVANS) xxvi
Resynthesis, pancreatectomy (LONG, LUKENS, and FRY) lii
Glycosides: β-, *p*-aminophenol, maltose, lactose, cellobiose, and gentiobiose (BABERS and GOEBEL) 473
Methyl-, hexuronic acids, naturally occurring (MORELL, BAUR, and LINK) 1
Glycosides—*continued:*
Methyl-, polygalacturonic acid-, pectin (MORELL, BAUR, and LINK) 1
Gonadotropic substance: Determination (KATZMAN and DOISY) xliv
Growth: Alcohol-extracted animal tissues, effect (SEEGERS and MATTILL) lxxvii

H

Halibut liver oil: Vitamins A and D potency, seasonal variation (BILLS, IMBODEN, and WALLENMEYER) x
Hatching: Blood hemoglobin, effect (HOLMES, PIGOTT, and CAMPBELL) xli
Hay: Alfalfa, carotene, vitamin A activity, relation (HARTMAN, KANE, and SHINN) xxxvi
Carotene determination (WISEMAN, KANE, and CARY) ci
Hemoglobin: Blood, beef, spectrophotometric characteristics (SHENK, HALL, and KING) 741
—, chicken, determination (SCHULTZE and ELVEHJEM) 253
—, —, hatching effect (HOLMES, PIGOTT, and CAMPBELL) xli
Carbon monoxide union (ADAMS) iii
Crystalline, mammalian, basic (BLOCK) 663
Fowl, spectrophotometric characteristics (KLEIN, HALL, and KING) 753

XUM

Hemoglobin—*continued:*
Muscle, beef, spectrophotometric characteristics (SHENK, HALL, and KING) 741
Oxygen union (ADAMS) iii
Production, anemia, nutritional, milk low in copper, iron and copper metabolism (BING, SAURWEIN, and MYERS) 343
Hexosemonophosphate: Muscle, frog (CORI and CORI) xvii
Hexuronic acids: Naturally occurring, methylglycosides (MORELL, BAUR, and LINK) 1
Histidine: Formol titration, behavior (LEVY) li
Homocystine: Sulfur, oxidation, body (DU VIGNEAUD and CRAFT) xcvi
(DU VIGNEAUD, LORING, and CRAFT) 481
Hydantoin: Cystine, preparation and properties (ANDREWS and ANDREWS) iv
Hydrogen: Active, ferrous hydroxide autoxidation, formation (BAUDISCH) vii
Hydroxyamino acids: Phosphoric esters, synthesis (LEVENE and SCHORMÜLLER) 547
Hypercalcemia: Blood calcium phosphate, colloidal, formation (GREENBERG and TUFTS) xxxii
Hyperglycemia: Insulin, insulin sensitivity measure (DOTTI) xxii
Hyperthyroidism: Liver function (BUELL and STRAUSS) xiv
Hypoproteinemia: Nutritional, blood serum electrolytes and calcium, effect (DARROW and CARY) 327

I

Indole: Derivatives, kynurenic acid production (BAUGUESS and BERG) viii
Infancy: Calcium retention (STEARNS) lxxxiv
Inorganic constituents: Diet low in, blood serum acid-base equilibrium, effect (SMITH and SMITH) lxxxi
Inorganic salts: Blood minerals, intake effect (HELLER and PAUL) 655
-Deficient diet, reticulocytes, effect (ORTEN and SMITH) 181
Nutrition (ORTEN and SMITH) 181
Inositol: Yeast growth, effect (WILLIAMS and SAUNDERS) xcix
Insulin: Anhydremia, effect (CHAIKELIS) 767
Blood glucose-chloride relationship, effect (CHAIKELIS) 767
Hyperglycemia, insulin sensitivity measure (DOTTI) xxii
Iodine: Balance (COLE and CURTIS) xvii
Blood, determination (McCLENDON, HAMILTON, and HOLDRIDGE) lviii
Cabbage, determination (McCLENDON, HAMILTON, and HOLDRIDGE) lviii

Iodine—*continued:*
Diffusible, blood, determination (McCullagh and Picha) lix
Urine, determination (McClendon, Hamilton, and Holdridge) lviii
Ions: Activity coefficients in systems containing (Joseph) xliii
Systems containing, activity coefficients and reaction rate (Straup-Cope and Cohn) lxxxvii
Zwitter. *See* Zwitter ions.
Iron: Biological materials, determination (Rose, Exton, and Blacker) lxxiii
— —, microestimation, titrimetric (Horwitt) xli
Blood, determination (Burmester) 189
Epidermis, pellagra, relation (Lewis) lii
Metabolism and hemoglobin production, nutritional anemia (Bing, Saurwein, and Myers) 343
Plant tissue, histochemical analysis (Reed and Dufrenoy) lxx
Iron pyrophosphate: Glucose oxidation in air (Goerner) 705

J

Jaundice: β-Carotene absorption and utilization, vitamin A deficiency (Greaves and Schmidt) xxxi

K

Ketonuria: Pituitary, anterior, relation (Deuel) xix
Ketopiperazines: 2,5-Di-, hydrolysis (Srinivasan and Sreenivasaya) 563
Ketosis: Fasted and fat-fed rats (Goldfarb, Barker, and Himwich) 287
Fasting monkey (Friedemann) 335
Phlorhizin (Goldfarb, Barker, and Himwich) 283
Sugars, comparative action (Butts) 87
Uric acid excretion, relation (Quick) lxix
Kynurenic acid: Indole derivatives, production (Bauguess and Berg) viii
Tryptophane derivatives, production (Bauguess and Berg) viii

L

Lactation: Alcohol-extracted animal tissues, effect (Seegers and Mattill) lxxvii
Calcium requirement (Cox and Imboden) xviii
Phosphorus requirement (Cox and Imboden) xviii
Lactic acid: Blood, schizophrenia (Looney and Childs) liii
Metabolism, uric acid excretion, relation (Quick) lxix
Lactoflavine: Oxidation-reduction potentials (Barron and Hastings) vii
Lactose: *p*-Aminophenol β-glycosides, synthesis (Babers and Goebel) 473
Ketolytic action, other sugars, comparison (Butts) 87

Lead: Biological and organic materials, microchemical detection (SULKOWITCH) lxxxviii

Liebermann-Burchard: Reaction, blood sterol nature, relation (REINHOLD) lxxi

Light: Comb response, testicle hormone, relation (KOCH and GALLAGHER) xlix

Lipase: Action, blood serum (McGUIRE and FALK) 373

—, — —, horse (FALK and McGUIRE) 379

Pneumococcus, Type I, effect (McGUIRE and FALK) 669

Lipids: Blood plasma, determination, gasometric (KIRK, PAGE, and VAN SLYKE) xlvii

—, thyroxine injection effect (SCHMIDT and BRADFORD) lxxv

Muscle, function, relation (BLOOR and SNIDER) x

Tissue, thyroxine injection effect (SCHMIDT and BRADFORD) lxxv

Tubercle bacillus, chemistry (NEWMAN, CROWDER, and ANDERSON) 279

Liver: Esterase activity, hydrogen ion concentration influence (SOBOTKA and GLICK) 221

Glycogen, low oxygen pressure, effect (EVANS) xxvi

Hyperthyroidism, function (BUELL and STRAUSS) xiv

Water storage, glycogen relation (MacKAY and BERGMAN) 59

Lypolysis: Enzymes (SOBOTKA and GLICK) 221

—, action (SOBOTKA and GLICK) 199

Lysine: Casein, dry heat and alkali effect (BLOCK, JONES, and GERSDORFF) 667

M

Malic acid: Plant tissue, determination (PUCHER, VICKERY, and WAKEMAN) lxviii

Maltose: *p*-Aminophenol *β*-glycosides, synthesis (BABERS and GOEBEL) 473

Mercaptan: N, N′-Diphenylformazyl and N, N′-diphenyldihydroformazyl, lead detection, microchemical, biological and organic materials (SULKOWITCH) lxxxviii

Metabolism: Dog (STEKOL and CERECEDO) lxxxv

Poliomyelitis (MAGERS) lvi

Methemoglobin: Spectrophotometric study (DRABKIN and AUSTIN) xxiii

Methionine: Sulfur, oxidation, body (DU VIGNEAUD, LORING, and CRAFT) 481

S-Methylcysteine: Sulfur, oxidation, body (DU VIGNEAUD, LORING, and CRAFT) 481

Methylglycosides: Hexuronic acids, naturally occurring (MORELL, BAUR, and LINK) 1

Polygalacturonic acid-, pectin (MORELL, BAUR, and LINK) 1

Milk: Constituents, antirachitic activation (ANSBACHER and SUPPLEE) 391
Copper-low, anemia, hemoglobin production and iron and copper metabolism (BING, SAURWEIN, and MYERS) 343
Fluorine ingestion effect (PHILLIPS, HART, and BOHSTEDT) 123
Mineral constituents: Blood, inorganic salt intake, effect (HELLER and PAUL) 655
Molecules: Uncharged, systems containing, activity coefficients and reaction rate (STRAUP-COPE and COHN) lxxxvii
Monkey: Ketosis, fasting (FRIEDEMANN) 335
Monotrityl uridine: Chemical constitution (LEVENE and TIPSON) 419
Mucus: Gastric juice, acidity, relation (HELMER, FOUTS, and ZERFAS) xxxvii
Muscle: Dystrophy, progressive, urine (SULLIVAN and HESS) lxxxix
Frog, epinephrine influence (HEGNAUER and CORI) 691
—, hexosemonophosphate (CORI and CORI) xvii
Glycogen, low oxygen pressure, effect (EVANS) xxvi
Hemoglobin, beef, spectrophotometric characteristics (SHENK, HALL, and KING) 741
Lipids, function, relation (BLOOR and SNIDER) x
Pecten, basic extractives (MOORE and WILSON) lxiii
Myelin sheath: Degenerative changes, diagnosis by polarizing microscope (SUTTON, SETTERFIELD, and KRAUSS) lxxxix

N

Nerve: Degeneration, avitaminosis A, relation (SUTTON, SETTERFIELD, and KRAUSS) lxxxix
Nitrate: Assimilation (BAUDISCH) vii
Nitrite: Assimilation (BAUDISCH) vii
Nitrogen: Atmospheric, blood cells and plasma, solubility and physical state (VAN SLYKE, DILLON, and MARGARIA) 571
Feces, dietary fat and carbohydrates, effect (MITCHELL) 537
Nut: Be-still, constituents (CHEN and CHEN) 231

O

Oil: Coffee-bean. *See* Coffee-bean oil.
Halibut liver. *See* Halibut liver oil.
Olive. *See* Olive oil.
Olive oil: Carotene stability (TURNER) 443
Orange: Juice, vitamin C (JOSLYN, MARSH, and MORGAN) 17
Orosins: Avian, relationship (BLOCK) 455
Ovariectomy: Body glycogen, effect (GULICK, SAMUELS, and DEUEL) 29
Oxidation: β, quantitative studies (BUTTS) xv

XUM

Oxidation-reduction: Reactions, aqueous, velocity, equivalent-valence effect (SHAFFER) lxxviii

Oxygen: Blood, microdetermination (DONAL) xxi

Hemoglobin, union (ADAMS) iii

Pressure, low, liver and muscle glycogen, effect (EVANS) xxvi

Uncombined, blood, solubility and physical state (SENDROY, DILLON, and VAN SLYKE) 597

P

Pancreatectomy: Glycogen resynthesis (LONG, LUKENS, and FRY) lii

Respiratory quotient, galactose ingestion effect (ROE, GILMAN, and COWGILL) lxxii

Pantothenic acid: Yeast growth effect (WILLIAMS and SAUNDERS) xcix

Papain: Digestion, egg white toxicity, effect (PARSONS, JANSSEN, and SCHOENLEBER) lxvii

Parathyroid: Hormone potency, oxidizing and reducing agents, effect (TWEEDY, BELL, and VICENS-RIOS) xcv

Parathyroid extract: Tissue changes, effect (MORGAN and SAMISCH) lxiv

Paratyphoid: Tissue cholesterol, effect (SPERRY and STOYANOFF) lxxxii

Pecten: Muscle, basic extractives (MOORE and WILSON) lxiii

Pectin: Polygalacturonic acid-methylglycosides (MORELL, BAUR, and LINK) 1

Pellagra: Epidermis cystine and iron, relation (LEWIS) lii

Pepsin: Casein digestion (JONES and GERSDORFF) xlii

Inactivation, protease (TAUBER and KLEINER) 411

Trypsin and, digestion (TAUBER and KLEINER) xc

Phlorhizin: Ketosis (GOLDFARB, BARKER, and HIMWICH) 283

Phosphatase: Blood serum (BODANSKY and JAFFE) xi

Phosphatides: Blood serum, precipitation (TURNER) xciv

Phosphoric acid: Microdetermination, gasometric (KIRK) xlvii

Phosphorus: Gestation requirement (COX and IMBODEN) xviii

Lactation requirement (COX and IMBODEN) xviii

Metabolism, calcium-low ration, dairy cows, effect (MEIGS, TURNER, KANE, and SHINN) lx

Phospho-12-tungstic acid: *l*-, *dl*-, and *m*-cystine precipitation (TOENNIES and ELLIOTT) xciii

Phthiocol: Tubercle bacillus, human, synthesis (NEWMAN, CROWDER, and ANDERSON) 279

Pigment: Blood, salt-low ration, realimentation effect (ORTEN and SMITH) lxvi
Tubercle bacillus, human, synthesis (NEWMAN, CROWDER, and ANDERSON) 279
Piperazines: 2, 5-Diketo-, hydrolysis (SRINIVASAN and SREENIVASAYA) 563
Pituitary: Anterior, follicle-stimulating and luteinizing hormone (WALLEN-LAWRENCE) xcvii
—, ketonuria relation (DEUEL) xix
-Like hormone, anterior, genital tract, effect (HARROW and NAIMAN) xxxv
Pituitary extract: Anterior, diacetic acid metabolism, rôle (BUTTS, CUTLER, and DEUEL) 45
Plant: Green, fresh, carotene determination (WISEMAN, KANE, and CARY) ci
Tissue, acids, determination (PUCHER, VICKERY, and WAKEMAN) lxviii
—, iron and zinc, histochemical analysis (REED and DUFRENOY) lxx
—, malic acid determination (PUCHER, VICKERY, and WAKEMAN) lxviii
Pneumococcus: Type I, lipase action, effect (MCGUIRE and FALK) 669
Poliomyelitis: Metabolism (MAGERS) lvi
Polygalacturonic acid: -Methylglycosides from pectin (MORELL, BAUR, and LINK) 1
Polypeptides: Hydrolysis (SRINIVASAN and SREENIVASAYA) 563
Propionic acid: Bacteria, glucose dissimilation, mechanism (WOOD and WERKMAN) 63
Protaminase: Proteinase, influence, determination (WEIL) 291
Protease: Pepsin, trypsin, and salivary amylase, inactivation (TAUBER and KLEINER) 411
Protein(s): Blood serum, amino acids, basic (BLOCK) 455
Cells, normal and tumor, swelling, *in vitro*, effect (SHEAR) lxxix
Dietary essential in (ROSE) lxxiii
Egg (BLOCK) 455
Eggs, diet of hen, effect (CALVERY and TITUS) 683
-Free diet, allantoin and uric acid excretion (MARTIN and CORLEY) lvii
Gaseous acids and bases, combination (CZARNETZKY and SCHMIDT) 301
Metabolism, glycine synthesis, influence (GRIFFITH) xxxiii
Optical rotation, hydrogen ion concentration effect (ALMQUIST and GREENBERG) 519
Physical chemistry (COHN, EDSALL, and BLANCHARD) 319
Sols, calcium, non-diffusible (GREENBERG) 511
(EVERSOLE) 515

Protein(s)—*continued:*
Sulfur distribution (BAERNSTEIN) vi
Systems, thallous chloride activity coefficient (STONE and FAILEY) lxxxvi
Tissue, basic amino acid anlage (BLOCK) 663
Total, body fluids, pathological, cholesterol, relation (BRUGER) xiii
Yeast (CSONKA) xix
Proteinase: Preparation (WEIL) 291
Proteinemia: *See also* Hypoproteinemia.
Provitamin: D, cholesterol (WADDELL) 711
Purine: -Free diet, allantoin and uric acid excretion (MARTIN and CORLEY) lvii
Pyranoside: Acetone-methylrhamno-, chemical constitution and properties (LEVENE and MUSKAT) 431

R

Reproduction: Theelin and theelol effect (WADE) xcvi
Respiratory quotient: Galactose ingestion effect, normal and depancreatized dogs (POE, GILMAN, and COWGILL) lxxii
Reticulocytes: Blood, inorganic salt-deficient diet, effect (ORTEN and SMITH) 181
***d*-Ribitol-5-phosphoric acid:** (LEVENE, HARRIS, and STILLER) 153
Ribose: *l*-, *β*-*l*-altrose preparation, cyanohydrin reaction (AUSTIN and HUMOLLER) v
Rickets: Antirachitic activation, milk constituents (ANSBACHER and SUPPLEE) 391
— activity, ergosteryl sulfate salts, irradiated aqueous solutions (NATELSON, SOBEL, and KRAMER) 761
— efficacy, cholesterol, irradiated (WADDELL) 711
— factor, cod liver oil, distribution, chicken (RUSSELL, TAYLOR, and WILCOX) lxxiv
— —, irradiated ergosterol, distribution, chicken (RUSSELL, TAYLOR, and WILCOX) lxxiv
Ultra-violet radiation, wavelength effect (KNUDSON and BENFORD) xlviii

S

Saccharomyces cerevisiæ: *See* Yeast.
Saliva: Amylase inactivation, protease (TAUBER and KLEINER) 411
Ethyl alcohol, determination (FRIEDEMANN) xxviii
Salt: -Low ration, blood cell and blood pigment, realimentation effect (ORTEN and SMITH) lxvi
Sapogenin: Sarsa- (JACOBS and SIMPSON) 501
Sarsasapogenin: (JACOBS and SIMPSON) 501
Schizophrenia: Blood lactic acid and glutathione (LOONEY and CHILDS) liii
Seminal fluid: Uterus-contracting substance (COCKRILL, MILLER, and KURZROK) xvi

Serinephosphoric acid: *dl-*, synthesis (LEVENE and SCHORMÜLLER) 547
Sex: Carbohydrate metabolism, effect (GULICK, SAMUELS, and DEUEL) 29
(GRUNEWALD, CUTLER, and DEUEL) 35
(BUTTS, CUTLER, and DEUEL) 45
Hormone, male, genital tract, effect (HARROW and NAIMAN) xxxv
Silk: Hydrolysis products (LEWIS and GRANT) lii
Sodium: Blood serum, determination, uranyl zinc acetate method (WILKINS) 177
Solanum indicum: Enzymes (TAUBER and KLEINER) 679
Starch: Hydrolysis, enzymic and acid, conversion products (SOMOGYI) lxxxi
Stercobilin: Crystalline, isolation (WATSON) 469
Sterol: Blood, nature, Liebermann-Burchard reaction (REINHOLD) lxxi
Stomach: Gastric juice acidity, mucus secretion, relation (HELMER, FOUTS, and ZERFAS) xxxvii
Sugars: Thio (RAYMOND and LEVENE) lxx
Sulfur: Homocystine, oxidation, body (DU VIGNEAUD and CRAFT) xcvi
(DU VIGNEAUD, LORING, and CRAFT) 481
Methionine, oxidation, body (DU VIGNEAUD, LORING, and CRAFT) 481
Sulfur—*continued:*
S-Methylcysteine, oxidation, body (DU VIGNEAUD, LORING, and CRAFT) 481
Proteins, distribution (BAERNSTEIN) vi
Suprarenal: Cortex hormone, chemical nature and physiological action (KENDALL, MASON, MCKENZIE, MYERS, and KOELSCHE) xlv

T

Testicle: Hormone, comb response, light, relation (KOCH and GALLAGHER) xlix
Testis: Extract, bull (GALLAGHER and KOCH) xxx
Thallous chloride: Activity coefficient, protein systems (STONE and FAILEY) lxxxvi
Theelin: Body glycogen, effect (GULICK, SAMUELS, and DEUEL) 29
Chemistry (MACCORQUODALE, LEVIN, and THAYER) lv
Diacetic acid metabolism, normal and castrated rats, effect (GRUNEWALD, CUTLER, and DEUEL) 35
Reproduction effect (WADE) xcvi
Theelol: Chemistry (MACCORQUODALE, LEVIN, and THAYER) lv
Reproduction effect (WADE) xcvi
Thevetia neriifolia: *See* Be-still nut.
Thiocyanate: Excretion (BAUMANN, METZGER, and SPRINSON) ix

XUM

Thiocyanate—*continued:*
Urine, determination (Baumann, Sprinson, and Metzger) 269
Thio sugars: (Raymond and Levene) lxx
Thyroxine: Blood lipids, injection effect (Schmidt and Bradford) lxxv
Tissue lipids, injection effect (Schmidt and Bradford) lxxv
Tissue: Animal, alcohol-extracted, nutritive value (Seegers and Mattill) lxxvii
Epinephrine destruction (Koehler) p. l
Lipids, thyroxine injection effect (Schmidt and Bradford) lxxv
Parathyroid extract effect (Morgan and Samisch) lxiv
Respiration, copper relation (Elvehjem, Cohen, and Stare) xxv
Viosterol effect (Morgan and Samisch) lxiv
Tooth: Enamel, calcification variations (Hollander, Bodecker, Saper, and Applebaum) xl
Trypsin: Inactivation, protease (Tauber and Kleiner) 411
Pepsin and, digestion (Tauber and Kleiner) xc
Tryptophane: Derivatives, kynurenic acid production (Bauguess and Berg) viii
Tubercle bacillus: Human, phthiocol, synthesis (Newman, Crowder, and Anderson) 279
Lipids, chemistry (Newman, Crowder, and Anderson) 279
Tuberculin: Absorption spectrum (Spiegel-Adolf and Seibert) lxxxiii
Tumor: Cells, swelling, *in vitro*, protein effect (Shear) lxxix
Turkey: Eggs, chemistry (Hepburn and Miraglia) xxxviii
Turtle: Blood (Vars) 135

U

Ultra-violet: Radiation, rickets, wave-length effect (Knudson and Benford) xlviii
Uracil: Oxidation, *in vitro* (Schwob and Cerecedo) lxxvi
Uric acid: Excretion, glycine administration effect (Martin and Corley) lvii
—, ketosis, lactic acid metabolism, and aromatic acids, relation (Quick) lxix
—, purine-free and protein-free diets (Martin and Corley) lvii
Uridine: Monotrityl, chemical constitution (Levene and Tipson) 419
Urine: Cystinuria (Stekol) lxxxv
Estrogenic substances (Gustavson and Green) xxxiv
Muscle dystrophy, progressive (Sullivan and Hess) lxxxix

Urine—*continued:*
Normal, acidosis-producing hormone (FUNK) xxix
Oxygen tension and consumption (SENDROY) lxxviii
Uterus: -Contracting substance, seminal fluid (COCKRILL, MILLER, and KURZROK) xvi

V

Viosterol: Tissue changes, effect (MORGAN and SAMISCH) lxiv
Vitamin(s): A activity, alfalfa hay carotene, relation (HARTMAN, KANE, and SHINN) xxxvi
—, animal body, distribution (CLAUSEN and MCCOORD) xv
— avitaminosis, nerve degeneration, relation (SUTTON, SETTERFIELD, and KRAUSS) lxxxix
—, butter, breed and diet, cows, influence (BAUMANN, STEENBOCK, BEESON, and RUPEL) 167
— deficiency, β-carotene absorption and utilization, jaundice and choledochocolostomy (GREAVES and SCHMIDT) xxxi
—, halibut liver oil, potency, seasonal variation (BILLS, IMBODEN, and WALLENMEYER) x
Antineuritic concentrate, preparation (STUART, BLOCK, and COWGILL) 463
Vitamin(s)—*continued:*
B, crystalline, yeast growth effect (WILLIAMS and SAUNDERS) xcix
—, fat sparing action (EVANS and LEPKOVSKY) xxvii
B_1, crystalline, effect (WATERMAN and AMMERMAN) xcviii
—, stability (KEENAN and KLINE) xlv
B_2, stability (KEENAN and KLINE) xlv
—. *See also* Vitamin G.
B_4, stability (KEENAN and KLINE) xlv
C, body, fluorosis, influence (PHILLIPS and CHANG) 405
—, orange juice (JOSLYN, MARSH, and MORGAN) 17
D, halibut liver oil, potency, seasonal variation (BILLS, IMBODEN, and WALLENMEYER) x
E, chemical properties (OLCOTT) lxv
Fat-soluble (BAUMANN, STEENBOCK, BEESON, and RUPEL) 167
G (B_2), concentration and chemical nature (BOOHER) xii
Pro-, D, cholesterol (WADDELL) 711

W

Water: Sea, cresol red dissociation constant (MITCHELL and TAYLOR) lxii
Storage, liver, glycogen, relation (MACKAY and BERGMAN) 59

XUM

Wool: Hydrolysis, cystine isolation (TOENNIES and BENNETT) xcii

Y

Yeast: Fermentation, carbon dioxide determination, apparatus (FRANKE and MOXON) 415
Growth, inositol, crystalline vitamin B, and pantothenic acid, effect (WILLIAMS and SAUNDERS) xcix
Proteins (CSONKA) xix

Z

Zein: Amphoteric properties (COHN, EDSALL, and BLANCHARD) 319
Zinc: Plant tissue, histochemical analysis (REED and DUFRENOY) lxx
Zwitter ions: Activity coefficients in systems containing (JOSEPH) xliii
Systems containing, activity coefficients and reaction rate (STRAUP-COPE and COHN) lxxxvii

perties
and
319
emical
Du-
lxx
efficiaining
xliii
tivity
n rate
OHN)
xxxvii

XUM